

RHS VISUAL ICD-9 to ICD-10 Conversion

ICD-10 is mandatory as of 10/1/2015

There are two main areas that help you convert your residents' ICD-9 codes to ICD-10:

1. The **ICD-10 DB (Dashboard)** button on the top toolbar provides summary and detail reports regarding ICD-9 codes to be converted, as well as suggested translations from ICD-9 to ICD-10. This section also contains a function to automatically convert all ICD-9 codes that have a one-to-one correspondence to ICD-10. See pages 2-8.
2. The **ICD-10** button on the bottom toolbar is used to do the conversion of ICD-9 to ICD 10 for each resident. See pages 9-11.

Summary – There are two steps to convert your ICD-9 codes to ICD 10:

1. For ICD-9 codes that have a one-to-one correspondence to ICD-10 see page 3, “**Convert Exact**”.
2. For ICD-9 codes that do not have a one-to-one correspondence to ICD-10 see pages 9 – 11, “**ICD-10 Coding**”.

Reports – Two reports are very helpful in helping you convert ICD-9 to ICD-10:

1. A list, by nursing unit and resident, showing their ICD-9 codes and the recommended ICD-10 replacement. See “Mapping Report” on page 7. This report is especially useful for the nursing unit supervisor.
2. A list, by ICD-9 code, showing all ICD-9 codes used by your facility, and their recommended ICD-10 replacements. This report is especially useful for the DNS, or the person overseeing the ICD-10 conversion process for the entire facility.

Adding NEW ICD-10 codes – As of 10/1/2015 you will need to begin adding NEW ICD-10 codes. See pages 12 – 13 for instructions.


ICD-10 Dashboard

On the top EMR toolbar click **ICD-10 DB**. A toolbar with four tabs appears:



The reports and tools for **ICD9/ICD10 Data** are displayed.


Open / Translated shows, by unit, how many ICD-9 codes were converted and how many have not been converted:



Under the red **Total** you see, by nursing unit, the number of unique ICD-9 codes that need to be converted.

Under the green **Total** you see, by nursing unit, the number of unique ICD-9 codes already converted.

Unit	Total
01	137
02	525
03	445
04	620
05	571
06	544
	2842
Unit	Total
02	4
	4



Exact vs. Approximate shows the number of ICD-9 codes in use by the facility that need to be translated to ICD-10.

EXACT TRANSLATIONS		APPROXIMATE TRANSLATIONS	
396		820	
006.6	amebic skin ulceration	009.2	infectious diarrhea nos
008.45	00845	009.3	diarrhea of infect orig
039.2	abdominal actinomycosis	011.60	tb pneumonia-unspec
040.0	0400	013.60	tb encephalitis-unspec
041.3	klebsiella pneumoniae	033.9	whooping cough nos
041.7	pseudomonas infect nos	034.0	strep sore throat
		038.8	0388

Under **EXACT TRANSLATIONS** you see the number of different ICD-9 codes used by your facility that have an exact one-to-one translation to ICD-10. (In our example 396). You can convert all these codes to ICD-10 by clicking “**Convert Exact**” as shown above at arrow 1. **We strongly recommend that your facility use this function. It will save an enormous amount of time.**

Under **APPROXIMATE TRANSLATIONS** you will see the number of ICD-9 codes in your facility that have only an approximate translation to ICD-10. (In our example 820).

To print a list of all these ICD-9 codes (both the exact and approximate) click “**Print**” as shown above at arrow 2.

Convert all ICD-9 codes which have a one-to-one correspondence to ICD-10 by clicking “**Convert Exact**” as shown by arrow 1 above.

ICD9/ICD10 Data
Graphs
Mapping report
Dictionary

ICD-9 Summary Report shows every ICD-9 code used by your facility.

Open / Translated
Number of ICD9 per unit
Converted Include
Exact vs. Approximate
Convert Exact
Print
ICD-9 Summary Report
Number of residents having the same ICD9 code
*** The following ICD9 Codes are not valid. Must be reco

#	Resident	I/O Code	Descrip
			RETAIN

	Code	Description	Total
7	006.6	AMEBIC SKIN ULCERATION	1
8	008.45	INT INF CLSTRDIUM DFCILE	40
9	009.2	INFECTIOUS DIARRHEA NOS	8
10	009.3	DIARRHEA OF INFECT ORIG	5
11	011.60	TB PNEUMONIA-UNSPEC	1
12	011.9		9
13	013.60	TB ENCEPHALITIS-UNSPEC	1

This **ICD-9 Summary Report** shows, in ICD-9 order, all ICD-9 codes used by the facility.


For each ICD-9 code it shows the **Total** number of residents who have that diagnosis.

Open / Translated Converted Include Exact vs. Approximate Convert Exact Print ICD-9 Summary Report **** The following ICD9 Codes are not valid. Must be recoi**

Invalid ICD9 Codes report shows, by resident, all ICD-9 codes used by your facility that are **not** valid.

Resident	I/O Code	Description	Onset	Entered
ADAM	780.26	RETAINED WOOD FRAGMENTS	1/6/2010	1/6/2010
ALAS	261	MALNUTRITION	12/9/2013	12/9/2013
ALAT	733	RETAINED WOOD FRAGMENTS		1/16/2006
ALBF	DVT	DVT	12/30/2009	12/30/2009
ALEX	293.8	PSYCHOTIC DISORDER	2/13/2012	2/13/2012
ALIJ/	600	600 PROSTATIC HYPERTRPHY	11/21/2014	11/22/2014
ALLE	261	MALNUTRITION	4/20/2015	4/20/2015

Click on **Graphs** to view a graphic illustration of the percentage ICD-9 codes that are open and the percentage that are translated.



The graph on the left shows, for each nursing unit, the percentage of ICD-9s open (red) and the percentage of ICD-9s translated (green).

The graph at the top-right shows, for the entire facility, the percentage of **ICD-9s** open (red) and the percentage of ICD-9s translated (green).

The graph at the bottom-right shows, for the entire facility, the percentage of **residents** open (red) and the percentage translated.

Missing Report shows, by unit and resident, all ICD-9 codes not yet converted to ICD-10.

Mapping Report Print Preview

Units ▶ 01 02 03 04 05 06

#	ID	Unit	Bed	Resident	ICD-9	Description	ICD-10	+ ICD-9	Description
1	1104592	01	108B	AB	250.01	DMI WO CMP NT ST UNCNTL	E10.9		Type 1 diabetes mellitus without complications
2	1104592	01	108B	AB	276.8	HYPOPOTASSEMIA	E87.6		Hypokalemia
3	1104592	01	108B	AB	311	311	F32.9		Major depressive disorder, single episode, unspeci
4	1104592	01	108B	AB	414.01	CRNRY ATHRSCL NATVE VSSL	I25.10		Atherosclerotic heart disease of native coronary a
5	1104592	01	108B	AB	414.01	CRNRY ATHRSCL NATVE VSSL	I25.110	414.01	Atherosclerotic heart disease of native coronary a
6	1104592	01	108B	AB	414.01	CRNRY ATHRSCL NATVE VSSL	I25.110	411.1	Atherosclerotic heart disease of native coronary a
7	1104592	01	108B	AB	414.01	CRNRY ATHRSCL NATVE VSSL	I25.111	414.01	Atherosclerotic heart disease of native coronary a
8	1104592	01	108B	AB	414.01	CRNRY ATHRSCL NATVE VSSL	I25.111	413.9	Atherosclerotic heart disease of native coronary a
9	1104592	01	108B	AB	414.01	CRNRY ATHRSCL NATVE VSSL	I25.118	414.01	Atherosclerotic heart disease of native coronary a
10	1104592	01	108B	AB	414.01	CRNRY ATHRSCL NATVE VSSL	I25.118	413.9	Atherosclerotic heart disease of native coronary a
11	1104592	01	108B	AB	414.01	CRNRY ATHRSCL NATVE VSSL	I25.119	414.01	Atherosclerotic heart disease of native coronary a
12	1104592	01	108B	AB	414.01	CRNRY ATHRSCL NATVE VSSL	I25.119	413.9	Atherosclerotic heart disease of native coronary a

1. Click to select a unit and all ICD-9 codes appear with their recommended ICD-10 codes.
2. To print, click "Print Preview".
3. Note: For ICD-9 414.01 the above report shows that it translates to ICD-10 125.110, and that ICD-10 code 125.110 is also a translation for ICD-9 411.1

For each unit, print a copy of the ICD-9s that need to be converted and give it to the unit supervisor.

Dictionary Report shows all ICD-9 codes used by your facility and the recommended ICD-10s



Print Preview

#	Code	Description	To	ICD-10	+ ICD-9	ICD-10 Description	Match	GEMS
1	006.6	amebic skin ulceration	1	A06.7		Cutaneous amebiasis	Exact	
2	008.45	00845	40	A04.7		Enterocolitis due to Clostridium difficile	Exact	
3	009.2	infectious diarrhea nos	8	A09		Infectious gastroenteritis and colitis, unspecifie		
4	009.3	diarrhea of infect orig	5	A09		Infectious gastroenteritis and colitis, unspecifie		

Click **Print Preview** for a complete listing of ICD-9 to ICDE-10 conversions for all diagnosis used in your facility.

This replaces your ICD-9 to ICD-10 conversion manual, showing only the ICD-9 codes used by your facility.

ICD-10 Coding

On the bottom EMR toolbar click **ICD-10**.

The following screen appears:

The screenshot shows a search interface with two input fields: 'Resident' and 'ICD-9', each with a 'Search' button. Below these is a table with columns 'ID', 'BED', and 'Name'. The table contains six rows of resident data, each with a right-pointing arrow button to its right.

	ID	BED	Name	
1	1318319	518A		0 ▶
2	1133107	619D		0 ▶
3	1088688	514		0 ▶
4	1127124	202B		0 ▶
5	1104592	108B		0 ▶
6	1086071	110A		0 ▶

At 'Resident' type a few letters to the resident's name.

At 'ICD-9' you may also type the ICD-9 you are converting.

When the resident appears click on the right-arrow alongside it.

The resident's diagnoses appear:

The screenshot shows a search bar at the top with a magnifying glass icon. To the right of the search bar is a button labeled '9 - 10 Mapping' (highlighted in red) and a '10/14 Draft' indicator. Below the search bar is a green header with a caduceus icon and the text 'Diagnosis.' and 'Coding: ICD9'. There are two tabs: 'Current' and 'History'. Below the tabs is a table with columns: Code, Description, Onset, Use for Face Sheet, Use for Part A, Use for Part B, Pending Admission, Present Upon, Type, Plan, and several action buttons (View, Edit, ICD10 dropdown).

	Code	Description	Onset	Use for Face Sheet	Use for Part A	Use for Part B	Pending Admission	Present Upon	Type	Plan			
1	250.01	DMI WO CMP NT ST UNCNTRL <i>Principal</i>	6/24/2015	✓	✓	□	□	□	Medical	Plan	View	Edit	ICD10▼
2	564.00	CONSTIPATION NOS	6/24/2015	✓	✓	□	□	□	Medical	Plan	View	Edit	ICD10▼
3	780.60	FEVER NOS	6/29/2015	✓	✓	□	□	□	Medical	Plan	View	Edit	ICD10▼
4	1 733.00	OSTEOPOROSIS NOS	7/2/2015	✓	□	□	□	□	Medical	Plan	View	Edit	ICD10▼

Click on "9 – 10 Mapping" as shown above. The following screen appears:

Click on “Auto mapping” as shown above.

The suggested ICD-10 codes are shown below alongside the ICD-9 codes.

Diagnosis		Clear Unselected	
▼ Select the proper ICD-10 Code(s) and sign off on the translation by setting the status to done ▼			
1	250.01 DMI WO CMP NT ST UNCNTRL Principal	6/24/2015	ICD10▶
<input type="checkbox"/>	Select → E 1 0 . 9	Type 1 diabetes mellitus without complications	Done <input checked="" type="checkbox"/>
Translated by: RHS,RHS (Doctor)			
2	564.00 CONSTIPATION NOS	6/24/2015	ICD10▶
<input type="checkbox"/>	Select → K 5 9 . 0 0	Constipation, unspecified	Done <input checked="" type="checkbox"/>
Translated by: RHS,RHS (Doctor)			
3	780.60 FEVER NOS	6/29/2015	ICD10▶
<input type="checkbox"/>	Select → R 5 0 . 2	Drug induced fever	780.60 Done <input checked="" type="checkbox"/>
Translated by: RHS,RHS (Doctor)			
<i>and</i>			
<input type="checkbox"/>	Select → R 5 0 . 2	Drug induced fever	E947.9 Done <input checked="" type="checkbox"/>
Translated by: RHS,RHS (Doctor)			
<input type="checkbox"/>	Select → R 5 0 . 9	Fever, unspecified	Done <input checked="" type="checkbox"/>
Translated by: RHS,RHS (Doctor)			
4	401.9 HYPERTENSION NOS	7/6/2015	ICD10▶
<input type="checkbox"/>	Select → I 1 0 .	Essential (primary) hypertension	Done <input checked="" type="checkbox"/>
Translated by: RHS,RHS (Doctor)			
5	733.00 OSTEOPOROSIS NOS	7/2/2015	ICD10▶
<input type="checkbox"/>	Select → M 8 1 . 0	Age-related osteoporosis without current pathological fracture	Done <input checked="" type="checkbox"/>
Translated by: RHS,RHS (Doctor)			

In our example ICD-9 codes 250.01 and 564.00 have a one-to-one ICD-10 correspondence. Click “Select” alongside each.

ICD-9 code 780.60, however, is more complex. You can select ICD-10 code R50.9 or you can select code R50.2, provided that the resident also has ICD-9 code E947.9.

After you select all your ICD-10 codes the screen may appear as follows:

ICD10 Mapping tool

Auto mapping

Save ICD-10 profile

Disclaimer: This tool is based on the General Equivalency Mapping (GEM) files published by CMS, and is not intended to be used as an icd10 conversion, ICD-10 mapping, or ICD-9 to ICD-10 crosswalk tool. Keep in mind that while many codes in ICD-9-CM map directly to codes in ICD-10, in some cases, a clinical analysis may be required to determine which code or codes should be selected for your mapping. Always review mapping results before applying them.

ICD-10 Selected

Diagnosis

Clear Unselected

▼ Select the proper ICD-10 Code(s) and sign off on the translation by setting the status to done ▼

1	250.01	DMI WO CMP NT ST UNCNTRL	Principal	6/24/2015	ICD10▶	Select <input checked="" type="checkbox"/>	→ E 1 0 . 9	Type 1 diabetes mellitus without complications	Translated by: Zelcer,Harry (Doctor)	Done <input checked="" type="checkbox"/>
2	564.00	CONSTIPATION NOS		6/24/2015	ICD10▶	Select <input checked="" type="checkbox"/>	→ K 5 9 . 0 0	Constipation, unspecified	Translated by: Zelcer,Harry (Doctor)	Done <input checked="" type="checkbox"/>
3	780.60	FEVER NOS		6/29/2015	ICD10▶	Select <input type="checkbox"/>	→ R 5 0 . 2	Drug induced fever	Translated by: Zelcer,Harry (Doctor)	780.60 Done <input checked="" type="checkbox"/>
							and			
						Select <input type="checkbox"/>	→ R 5 0 . 2	Drug induced fever	Translated by: Zelcer,Harry (Doctor)	E947.9
						Select <input checked="" type="checkbox"/>	→ R 5 0 . 9	Fever, unspecified	Translated by: Zelcer,Harry (Doctor)	
4	401.9	HYPERTENSION NOS		7/6/2015	ICD10▶	Select <input checked="" type="checkbox"/>	→ I 1 0 .	Essential (primary) hypertension	Translated by: Zelcer,Harry (Doctor)	Done <input checked="" type="checkbox"/>
5	733.00	OSTEOPOROSIS NOS		7/2/2015	ICD10▶	Select <input checked="" type="checkbox"/>	→ M 8 1 . 0	Age-related osteoporosis without current pathological fracture	Translated by: Zelcer,Harry (Doctor)	Done <input checked="" type="checkbox"/>

At this point you are done. Click "Save ICD-10 profile".

Adding a new ICD-10 code:

As of 10/1/2015, to assign a new diagnosis code to a resident you will need to enter it as an ICD-10 code.

In the search area shown below you can type the ICD-10 code or the description. Click the magnifying glass.

Search												9 ↵ 10 Mapping	10/14 Draft	
Diagnosis.													Coding: ICD9	
Current		History												
		Code	Description	Onset	Use for FaceSheet	Use for PartA	Use for PartB	Pending	Present Upon Admission	Type	Plan			
1	<input type="checkbox"/>	250.01	DMI WO CMP NT ST UNCNTRL <i>Principal</i>	6/24/2015	✓	✓	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Medical	Plan	View	Edit	ICD10▼
2	<input type="checkbox"/>	564.00	CONSTIPATION NOS	6/24/2015	✓	✓	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Medical	Plan	View	Edit	ICD10▼
3	<input type="checkbox"/>	780.60	FEVER NOS	6/29/2015	✓	✓	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Medical	Plan	View	Edit	ICD10▼
4	<input type="checkbox"/>	1 733.00	OSTEOPOROSIS NOS	7/2/2015	✓	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Medical	Plan	View	Edit	ICD10▼

In our example above we type “diabet” and click on the magnifying glass. The following screen appears:

Search		diabet										9 ↵ 10 Mapping	10/14 Draft	
Code list selection ▶														
<input checked="" type="radio"/> ICD10 <input type="radio"/> ICD9														
▼ DISEASES and INJURIES														
			E 0 8											Diabetes mellitus due to underlying condition
			E 0 8	▪ 0										Diabetes due to underlying condition w hyperosmolarity
	<input type="button" value="ADD"/>	<input type="button" value="ADD Pending"/>	E 0 8	▪ 0 1										Diabetes due to underlying condition w hyprosm w coma
			E 0 8	▪ 1										Diabetes mellitus due to underlying condition w ketoacidosis
	<input type="button" value="ADD"/>	<input type="button" value="ADD Pending"/>	E 0 8	▪ 1 0										Diabetes due to underlying condition w ketoacidosis w/o coma
	<input type="button" value="ADD"/>	<input type="button" value="ADD Pending"/>	E 0 8	▪ 1 1										Diabetes due to underlying condition w ketoacidosis w coma
			E 0 8	▪ 2										Diabetes due to underlying condition w kidney complications
	<input type="button" value="ADD"/>	<input type="button" value="ADD Pending"/>	E 0 8	▪ 2 1										Diabetes due to underlying condition w diabetic nephropathy
	<input type="button" value="ADD"/>	<input type="button" value="ADD Pending"/>	E 0 8	▪ 2 2										Diabetes due to undrl cond w diabetic chronic kidney disease

Click on either “ADD” or “ADD PENDING” alongside the proper code.

If you remember only the ICD-9 code click **ICD9** as shown below, type the description or the ICD-9 code, and click the magnifying glass icon.

Search **diabet** 9 of 10 Mapping 10/14 Draft

Code list selection ▶ **ICD10** **ICD9**

ADD	ADD Pending	648.00	DIABETES IN PREG-UNSPEC	ICD10
ADD	ADD Pending	253.5	DIABETES INSIPIDUS	ICD10
ADD	ADD Pending	648.03	DIABETES-ANTEPARTUM	ICD10
ADD	ADD Pending	648.01	DIABETES-DELIVERED	ICD10
ADD	ADD Pending	648.02	DIABETES-DELIVERED W P/P	ICD10
ADD	ADD Pending	648.04	DIABETES-POSTPARTUM	ICD10
ADD	ADD Pending	366.41	DIABETIC CATARACT	ICD10

On the above screen click on **ICD10** alongside the proper diagnosis. If you chose “DIABETIC CATARACT” the following screen appears:

ICD-10 Crosswalk 366.41 Save to draft

Select the proper ICD-10 Code(s) and save it to the draft

Select	Code	ICD10 Description	+ ICD9 Code	ICD9 Description
<input type="checkbox"/>	E08.36	Diabetes due to underlying condition w diabetic cataract	249.50 366.41	SEC DM OPHTH NT ST UNCN DIABETIC CATARACT
<input type="checkbox"/>	E09.36	Drug/chem diabetes mellitus w diabetic cataract	249.50 366.41	SEC DM OPHTH NT ST UNCN DIABETIC CATARACT
<input type="checkbox"/>	E10.36	Type 1 diabetes mellitus with diabetic cataract	250.51 366.41	DMI OPHTH NT ST UNCNTLD DIABETIC CATARACT
<input type="checkbox"/>	E11.36	Type 2 diabetes mellitus with diabetic cataract	250.50 366.41	DMII OPHTH NT ST UNCNTLD DIABETIC CATARACT
<input type="checkbox"/>	E13.36	Other specified diabetes mellitus with diabetic cataract	249.50 250.50 366.41	SEC DM OPHTH NT ST UNCN DMII OPHTH NT ST UNCNTLD DIABETIC CATARACT

Under “Select” choose the proper ICD 10 code and click “Save to Draft”.

After 10/1/2015, you will also be able to click Save to current profile.

MDS: A listing of ICD-9 codes used in MDS, with alerts indicating those codes that are not part of the resident's profile.

ICD9/ICD10 Data Graphs Mapping report Dictionary **MDS**

ICD-9 MDS Data analysis

1 2

Assessments data

#	Resident ID	A0500A	A0500C	Bed	ID	ISC	I8000A	I8000B	I8000C	I8000D	I8000E	I8000F	I8000G	I8000H	I8000I	I8000J
1	1098088	C	D	03-311D	3063886	NQ	600.9	244.9								
2	1544016	N		08-802W	3416495	NP	719.7	728.87	174.9	244.9	530.81					
3	1098127	V		03-316W	3372320	NC	008.45	318.0								
4	1098079	R	A	05-504W	3414367	NQ	298.1	788.20	365.42	530.81	728.87					
5	1238161	S		03-316D	3421728	NP	719.7	728.87	787.22	427.31	780.52					
6	1098083	M		06-800A	3374820	NQ	174.9	788.20	298.9	530.81						
7	1098403	J		05-508W	3070543	NQ	600.00	530.81								
8	1098284	A		04-408W	3134901	NQ	719.7	728.87	533.90							
9	1098088	M		03-308D	3374879	NC	318.1									
10	1567253	C		07-712D	3448512	NP	719.7	728.87	239.5							
11	1318089	Z		06-608D	3374863	NC	719.7	728.87	438.9							
12	1144411	L		06-616D	3414383	NQ	728.87	530.81	244.9							
13	1581225	J		07-714W	3414461	NC	719.7	728.87	787.22	424.99						
14	1237285	T		06-616W	3130808	NC	719.7	728.87								
15	1128308	S		03-314D	3416473	NC	719.7	728.87								
16	1098097	E		05-515W	3071411	NQ	530.81									

List

#	Resident ID	A0500A	A0500C	Bed	ID	ISC	ICD-9	
1	1098088	CA		03-311D	3063886	NQ	600.9	PROSTATE HYPERTROPHY
2	1098088	CA		03-311D	3063886	NQ	244.9	HYPOTHYROIDISM
3	1544016	NC		08-802W	3416495	NP	174.9	CANCER OF BREAST
4	1544016	NC		08-802W	3416495	NP	728.87	MUSCLE WEAKNESS-GENERAL
5	1544016	NC		08-802W	3416495	NP	719.7	DIFFICULTY IN WALKING
6	1544016	NC		08-802W	3416495	NP	530.81	GSTRESOPHGL REFLX
7	1544016	NC		08-802W	3416495	NP	244.9	HYPOTHYROIDISM
8	1098127	VIF		03-316W	3372320	NC	008.45	C-DIFFICILE BACTERI
9	1098127	VIF		03-316W	3372320	NC	318.0	MOD INTELLECT DISABILITY
10	1098079	RC		05-504W	3414367	NQ	788.20	URINARY RETENTION
11	1098079	RC		05-504W	3414367	NQ	365.42	GLAUCOMA W IRIS ANOMALY
12	1098079	RC		05-504W	3414367	NQ	298.1	EXCITATIV TYPE PSYCHOSIS
13	1098079	RC		05-504W	3414367	NQ	728.87	MUSCLE WEAKNESS-GENERAL
14	1098079	RC		05-504W	3414367	NQ	530.81	GSTRESOPHGL REFLX
15	1238161	ST		03-316D	3421728	NP	427.31	ATRIAL FIBRILATION
16	1238161	ST		03-316D	3421728	NP	780.52	INSOMNIA

MDS: List of unique ICD-9 codes used across all MDS's

ICD9/ICD10 Data	Graphs	Mapping report	Dictionary	MDS
ICD-9 MDS Data analysis				
1	2			
Summary				
#	ICD-9	Description		
1	008.45	C-DIFFICILE BACTERI		
2	038.9	SEPTICEMIA		
3	053.9	HERPES ZOSTER		
4	054.9	HERPES SIMPLEX NOS		
5	070.54	CHRONC HPT C WO HPAT COMA		
6	110.4	TINEA PEDIS		
7	112.0	ORAL THRUSH		
8	112.1	MONILIA VAGINITIS		
9	112.3	CUTANEOUS CANDIDIASIS		
10	112.9	CANDIDIASIS SITE NOS		
11	136.3	PNEUMOCYSTOSIS		
12	153.9	CANCER OF THE COLON		
13	155.0	CANCER-LIVER		
14	157.0	MAL NEO PANCREAS HEAD		
15	157.3	MAL NEO PANCREATIC DUCT		
16	157.8	MALIG NEO PANCREAS NEC		
17	157.9	CANCER-PANCREAS		
18	162.8	MAL NEO BRONCH/LUNG NEC		
19	162.9	CARCINOMA - LUNG		
20	173.3	BASAL CELL CARCINOMA		